



Main Features

- 6 Pole
- 180mm Cavity Size
- Double Cross Coupling
- Tunable Across Band
- Temperature Stabilization
- Output Monitor Probe

Electrical Specifications

Frequency range	470-806MHz		
ADJUSTING DATA	DVB-T/T2	ATSC 1.0/3.0	ISDB-T
Insertion Loss	$f(0) \leq 0.35\text{dB}$	$f(0) \leq 0.4\text{dB}$	$f(0) \leq 0.5\text{dB}$
	$f(0) \pm 3.8\text{MHz} \leq 1.05\text{dB}$	$f(0) \pm 2.7\text{MHz} \leq 0.65\text{dB}$	$f(0) \pm 2.79\text{MHz} \leq 1.12\text{dB}$
	$f(0) \pm 3.9\text{MHz} \leq 1.27\text{dB}$	$f(0) \pm 2.93\text{MHz} \leq 0.83\text{dB}$	
Attenuation	$f(0) \pm 4.2\text{MHz} \geq 4\text{dB}$	$f(0) \pm 3.5\text{MHz} \geq 10\text{dB}$	$f(0) \pm 3.15\text{MHz} \geq 7\text{dB}$
	$f(0) \pm 6.\text{MHz} \geq 20\text{dB}$	$f(0) \pm 6.\text{MHz} \geq 29\text{dB}$	$f(0) \pm 4.5\text{MHz} \geq 22\text{dB}$
	$f(0) \pm 12\text{MHz} \geq 41\text{dB}$	$f(0) \pm 9\text{MHz} \geq 63\text{dB}$	$f(0) \pm 9\text{MHz} \geq 47\text{dB}$
Harmonic Attenuation	$\geq 50\text{dB}$ up to 1.2GHz	$\geq 50\text{dB}$ up to 1.2GHz	$\geq 50\text{dB}$ up to 1.2GHz
Return loss / VSWR	$\leq -25\text{dB}/1.12$	$\leq -25\text{dB}/1.12$	$\leq -25\text{dB}/1.12$
Group delay variation	$< 400\text{ns}$	$< 250\text{ns}$	$< 450\text{ns}$
Temperature Stability	$< 1\text{kHz/K}$		
Max Power Output	1.4KW		
Impedance	50 Ω		

Environmental Specifications

Operating Temperature Range	-10°C to +55°C
Max Operating Temperature (Body)	65°C
Relative humidity	5% - 95%
Barometric pressure	55 KPa -106KPa

anywavecom.net

300 Knightsbridge Parkway | Suite 150 | Lincolnshire | IL | 60069

Phone: +1 (847) 415 2258 Fax: +1 (847) 415 2112

UHF 1.4kW Bandpass Filter

Product Specifications

BPF-6-U-1K4-DF / 78 / 158

Part Number: 202613.01 / 202614.01 / 202615.01



Mechanical Specifications

Connector (Input / Output)	DIN female	202613.01
	7/8" EIA	202614.01
	1 5/8" EIA	202615.01
Output Monitor Probe	N female	
Weight	18kg	
Outer Dimension (mm)	594 * 438 * 363mm	
Mounting	Wall or pole	
Packing	1 Piece per box	

anywavecom.net

300 Knightsbridge Parkway | Suite 150 | Lincolnshire | IL | 60069


Phone: +1 (847) 415 2258 Fax: +1 (847) 415 2112

UHF 1.4kW Bandpass Filter

Product Specifications

BPF-6-U-1K4-DF / 78 / 158

Part Number: 202613.01 / 202614.01 / 202615.01



anywavecom.net

300 Knightsbridge Parkway | Suite 150 | Lincolnshire | IL | 60069

Phone: +1 (847) 415 2258 Fax: +1 (847) 415 2112